

CARVYKTI® Batch/Lot No.:

Date of CARVYKTI® Infusion:

Hospital and Associated Clinics Name:

After Hours Phone Number:

Office Phone Number:

Name of CARVYKTI® Treating Oncologist:

**This Patient has received CARVYKTI®.**

**IMPORTANT SAFETY INFORMATION YOU SHOULD KNOW: CARVYKTI® therapy can cause cytokine release syndrome (CRS) or neurological toxicities, which may be fatal or life-threatening. CRS may involve multiple organ systems. If your patient reports any signs or symptoms as referenced on this card, please contact the patient's oncologist immediately for further information.**

**FOR HEALTHCARE PROFESSIONALS**

## **CARVYKTI® 患者钱包卡**

请始终随身携带此卡。如果您前往急诊室就诊，  
请向为您护理的任何医务人员出示此卡。

**接受 CARVYKTI® 治疗的患者的安全性信息**

# 致患者

如果您发现任何此类症状，  
请立即致电您的医务人员或寻求紧急帮助：

- |   |  |
|---|--|
| <ul style="list-style-type: none"><li>• 腿部和手臂无力伴瘫痪</li><li>• 发热（100.4°F/38°C 或更高）</li><li>• 寒战或寒颤</li><li>• 呼吸困难</li><li>• 心跳加快或心律不齐</li><li>• 血压很低</li><li>• 头晕或头晕目眩</li><li>• 肌肉或关节疼痛</li><li>• 意识模糊或定向障碍</li><li>• 说话、阅读或书写困难</li><li>• 平衡或协调方面的变化</li><li>• 面部和眼睛肌肉活动困难</li></ul> | <ul style="list-style-type: none"><li>• 面部麻木</li><li>• 手脚刺痛、麻木和疼痛</li><li>• 动作变慢</li><li>• 步履蹒跚或小碎步</li><li>• 性格改变（例如，说话变少、对活动不感兴趣）</li><li>• 更少微笑、皱眉或展示情绪</li><li>• 难以执行简单任务（例如穿衣、自己进食）</li><li>• 记忆丧失或混乱</li><li>• 写字变小</li><li>• 震颤</li></ul> |
|---|--|

在接受 CARVYKTI® 期间，若您要使用其他药物，  
请始终咨询您的医生。

**请谨记：**在您接受 CARVYKTI® 输注后，请在输注地点附近停留至少 4 周。

如果您出现任何此类症状，请立即致电您的医生或寻求紧急医疗救助！上述并未提及 CARVYKTI® 可能产生的所有副作用。如果您出现任何对您造成困扰或持续不退的副作用，请告诉您的医生。